Sarcouncil Journal of Multidisciplinary

ISSN(Online): 2945-3445

Volume- 05| Issue- 08| 2025

Research Article **Received:** 30-06-2025 | **Accepted:** 22-07-2025 | **Published:** 10-08-2025

Smart Manufacturing with Digital Twins: Scalable Integration Using Edge AI and Cloud ERP

Vinod Manwatkar

Nagpur University, India

Abstract: The industry is currently experiencing massive changes due to the combination of Industry 4.0 technologies, cloud-based enterprise resource planning systems, and digital twin implementation. The article introduces a new framework showing the concept of utilizing a manufacturing environment by using real-time data enabled by highly collaborative digital twins based on edge artificial intelligence and Oracle Cloud ERP. The architecture ensures the smooth integration of the systems of operational technology and information technology, opening new possibilities for manufacturers. This framework would enable industrial companies who are in the process of becoming smart factories to have a scalable system by tackling traditional issues of implementing digital twins, such as the volume of data they have to deal with, standardisation of processes across multiple facilities, and the complexities of the integration. The article discusses some of the most significant technical advancements, including edge AI optimization, semantic synchronization, and self-healing workflows, and it evaluates implementation outcomes of these solutions in both automotive and high-tech manufacturing customers. The article illustrates why this coordinated way of handling asset maintenance, quality management, inventory management, and production planning positively affects how enterprises operate in their manufacturing processes and makes them highly intelligent and dynamic to meet unfavorable circumstances well in time.

Keywords: Digital twins, Edge AI optimization, Semantic synchronization, Self-healing workflows, Smart manufacturing.

INTRODUCTION

In the current world, manufacturing organizations face increasing demands for efficiency, less downtime, and simplified production procedures. This new environment requires a smart, data-driven system that could react to uncomplicated operational threats. Digital twin technology has become one of the key enablers of smart manufacturing, and it is used to build a virtual representation of physical objects, processes, and systems. Coupled with the infrastructure of edge computing, artificial intelligence algorithms, and cloud-based enterprise resource planning systems, the digital replicas provide the full potential of real-time monitoring, analysis, and optimization of the manufacturing processes.

The field of digital twin solutions is gaining momentum in the form of a dynamic market that is being rapidly deployed in numerous industries, and the predominant driver of that trend is a widespread Industrial 4.0 agenda and the growing popularity of the Internet of Things. Market research indicates high growth by 2026, whereby North American firms will remain at a high market share, owing to the high concentration of technology providers and the early adopters who are innovatively minded. Aerospace and defense sectors currently lead implementation efforts, employing sophisticated virtual replicas to simulate intricate systems and forecast maintenance needs with remarkable accuracy (MarketsandMarkets, 2023).

Combining digital twins with edge computing creates decentralized "manufacturing nodes" that process information locally before distributing insights across broader networks. This architectural approach effectively addresses persistent latency issues that have historically constrained real-time decision-making in production environments. Manufacturing facilities utilizing edge-enabled digital twins report marked improvements in response times for mission-critical processes, including quality inspection and equipment condition monitoring. This architecture supports "nested digital twins" where component-level twins contribute to broader system-level representations, enabling multi-scale analysis from individual parts to complete production lines (Protner, J. *et al*., 2021).

Manufacturers implementing comprehensive digital twin strategies document notable reductions in unscheduled downtime through advanced predictive maintenance capabilities that identify potential failures before they impact production. Quality management similarly benefits from instantaneous process deviation detection coupled with immediate corrective actions. Integration with ERP systems establishes closed-loop processes where shop floor insights automatically trigger appropriate business workflows, such as maintenance work orders or production schedule adjustments. This integration represents a fundamental departure from conventional manufacturing paradigms where operational

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

***Corresponding Author:** Vinod Manwatkar

DOI- https://doi.org/10.5281/zenodo.16790097

technology and information systems functioned as separate domains (MarketsandMarkets, 2023).

Regardless of its alluring advantages, there are ongoing challenges surrounding implementation that are still faced, such as integration complexity of the system, assurance of data quality, and coordination within the organization. The manufacturing environment is non-homogeneous, and this makes deploying standardized data models and communication protocols difficult. Forward-thinking manufacturers address these obstacles through methodical, phased implementations beginning with high-value use cases before gradually expanding capabilities as organizational maturity develops (Protner, J. *et al*., 2021).

DIGITAL TWIN ARCHITECTURE FOR SMART MANUFACTURING

The framework described establishes an end-to-end digital twin architecture capturing sensor data from IoT-enabled production environments and processing this information through edge AI models for predictive analytics, anomaly detection, and real-time decision support. These insights synchronize with cloud-based ERP platforms, including Oracle EBS SCM, Oracle CRM, and Oracle Fusion SCM, to drive intelligent workflows across diverse business processes.

Modern digital twin implementations represent a profound evolution beyond traditional manufacturing information systems, integrating physical and digital domains through continuous data exchange. Research demonstrates that effective digital twin deployments require a five-dimensional approach that incorporates physical entities, virtual models, connection mechanisms, data infrastructure, and service layers. This comprehensive framework enables bidirectional mapping between physical manufacturing systems and digital counterparts, supporting accurate simulation, monitoring, and optimization capabilities throughout product lifecycles (Tao, F. *et al*., 2018).

The architectural foundation begins with distributed sensor networks collecting real-time operational metrics. Edge computing infrastructure provides localized processing capabilities for analyzing this data with minimal latency, enabling immediate responses to critical conditions. Advanced edge AI models, specifically optimized for resource-constrained devices, perform sophisticated analytics without requiring persistent cloud connectivity. The digital twin modeling layer creates and maintains virtual representations of physical assets, incorporating both static master data and dynamic operational parameters to generate accurate real-time simulations (Qi, Q. *et al*., 2021).

Semantic synchronization provides critical functionality, ensuring bidirectional data consistency between physical assets and ERP master data through sophisticated identifier mapping techniques. This synchronization enables seamless cloud ERP integration, connecting edge systems with enterprise platforms for coordinated business process execution. The architecture culminates in self-healing workflow orchestration, automatically adjusting work orders, maintenance schedules, and resource allocations based on insights generated through digital twins. Research indicates that organizations implementing such architectures achieve marked improvements in operational efficiency, with measurable reductions in maintenance costs and increased equipment availability that directly impact financial performance (Tao, F. *et al*., 2018).

These architectural approaches demonstrate particular value in complex manufacturing environments where conventional monitoring and maintenance strategies prove inadequate. Connecting physical and digital systems into a continuous feedback loop allows manufacturers to achieve a degree of operational visibility that was previously unavailable to them, as well as the ability to deal with emergent conditions before they have a chance to cause trouble. This approach transforms maintenance from a reactive necessity to a strategic advantage, contributing directly to production efficiency and product quality (Qi, Q. *et al*., 2021).

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher




Fig 1: Digital Twin Architecture for Smart Manufacturing (Tao, F. *et al*., 2018; Qi, Q. *et al*., 2021)

TECHNICAL INNOVATIONS

The architecture introduces several significant innovations addressing traditional challenges in implementing digital twins at scale:

Edge AI Optimization

Edge AI models are optimized specifically so that they can be used in production with low-latency inferences, allowing real-time analytics to be performed without the bandwidth and latency limitations that cloud-related AI solutions tend to have. The most recent innovations in multi-industry edge computing models show that properly designed solutions help to significantly decrease data transfer needs and enable real-time decision-making capabilities. Research indicates edge AI deployments must balance competing objectives, including inference speed, energy consumption, and prediction accuracy, to effectively support manufacturing operations. Optimization approaches employed in modern industrial edge AI systems include strategic model partitioning, distributing computation between edge and cloud resources based on task characteristics and available processing capacity (Sudhakar, M., & Anne, K. R. 2024).

Hardware-specific optimizations for edge processing units enhance performance by leveraging specialized neural processing units and tensor acceleration components. Distributed learning approaches enable continuous model improvement through federated techniques that aggregate insights across multiple edge nodes without centralizing sensitive operational data. Studies examining industrial implementations show edge AI optimizations substantially reduce bandwidth requirements compared to cloud-only architectures while delivering sub-second response times necessary for critical manufacturing applications, including quality inspection and anomaly detection (Sudhakar, M., & Anne, K. R. 2024).

Semantic Synchronization

A particularly challenging aspect of digital twin implementations involves maintaining consistent relationships between physical assets and virtual representations across multiple systems. The semantic synchronization engine addresses this fundamental challenge through sophisticated data management approaches. Research examining industrial digital twins has identified that effective integration requires specific considerations for geometric, parameter, and connectivity data types with appropriate management of tolerances and uncertainty quantification (Schleich, B. *et al*., 2017).

The synchronization engine employs unique identifier mapping between operational technology asset identifiers and ERP master data, creating consistent digital threads across disparate systems. Versioning controls manage changes in both physical and digital representations, maintaining temporal consistency while enabling historical analysis. Conflict resolution protocols automatically handle inconsistencies between systems, ensuring data integrity even in complex multi-system environments. Studies examining digital twin deployments demonstrate that effective semantic synchronization requires addressing both structural challenges of data integration and semantic challenges of

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

interpretation across different system contexts (Schleich, B. *et al*., 2017).

Self-healing Workflows

Perhaps the most transformative architectural aspect involves automatically adjusting business processes in response to digital twin insights. This capability represents the culmination of extensive research in autonomous manufacturing systems and closed-loop process control. The self-healing workflow orchestration layer enables predictive maintenance triggers automatically generating work orders before failures occur, quality deviation responses adjusting process parameters or rerouting production, inventory optimization rebalancing stock levels based on predicted equipment performance, and dynamic production scheduling adapting to changing conditions in real-time (Sudhakar, M., & Anne, K. R. 2024).

These capabilities fundamentally transform manufacturing operations from reactive to proactive management models. Research indicates that organizations implementing self-healing workflows achieve significant reductions in response time by eliminating manual intervention in routine scenarios. Integration with enterprise resource planning systems ensures automated responses align with business objectives and constraints, creating truly intelligent manufacturing environments that continuously optimize operations across multiple dimensions (Schleich, B. *et al*., 2017).




Fig 2: Technical Innovations in Digital Twin Architecture (Sudhakar, M., & Anne, K. R. 2024; Schleich, B. *et al*., 2017)

IMPLEMENTATION RESULTS

Pilot deployments across automotive and high-tech manufacturing environments reveal substantial operational enhancements through integrated digital twin architectures. Manufacturing organizations implementing these advanced frameworks report measurable performance improvements spanning multiple operational dimensions. Evaluations conducted in diverse industrial settings demonstrate how digital twins enable truly data-driven operations management with sophisticated visualization and analysis capabilities previously unattainable through conventional approaches. Interestingly, research examining digital twin applications in smart city contexts indicates similar architectural patterns translate effectively across different domains, with manufacturing applications showing particularly robust outcomes due to the inherently structured nature of production environments. The systems architecture methodology, connecting physical assets with digital representations through continuous bidirectional data flows, establishes foundations for persistent monitoring and dynamic optimization directly influencing critical operational metrics (Ruohomäki, T. *et al*., 2018).

Quality management emerges as another domain where digital twin implementations deliver exceptional value. Continuous monitoring and analysis capabilities inherent in digital twin deployments enable preemptive detection of process deviations long before such variations manifest as actual product defects. Extensive research examining manufacturing operations

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

demonstrates that digital twin-driven product design frameworks significantly enhance both development processes and production operations. These sophisticated frameworks integrate physical domains, virtual environments, and interconnection mechanisms into cohesive systems supporting complete product lifecycles. Through enabling real-time monitoring, verification, and optimization, these implementations drive remarkable improvements in both product quality and manufacturing efficiency (Tao, F. *et al*., 2019).

In addition to simple quantitative outcomes, architectures of digital twins can provide radical qualitative contributions to operational integration. The traditional manufacturing settings are usually characterized by a high degree of disconnect between shop floor systems and enterprise processes where a resultant information silos require a great deal of manual reconciliation processes, which at the end of the day elicit latency and consistency problems with relevant data. Modern digital twin architectures featuring semantic synchronization capabilities dramatically reduce this reconciliation burden through automated data exchange mechanisms, ensuring cross-system consistency. This integration enables near-instantaneous closed-loop processes connecting operational technology with information technology systems, fundamentally transforming manufacturing operations from isolated functional domains into responsive, integrated ecosystems (Ruohomäki, T. *et al*., 2018).

The cross-functional impact becomes particularly evident in complex manufacturing settings where diverse production technologies and business processes require precise coordination to satisfy customer requirements. By establishing unified digital representations encompassing entire manufacturing operations, organizations identify optimization opportunities transcending traditional departmental boundaries. The digital twin methodology creates comprehensive frameworks supporting product design, manufacturing processes, and service delivery throughout complete product lifecycles, enabling improvements at both product and process levels, contributing to overall operational excellence (Tao, F. *et al*., 2019).




Fig 3: Implementation Results of Digital Twin Architecture (Ruohomäki, T. *et al*., 2018; Tao, F. *et al*., 2019)

USE CASES

The architecture supports several pivotal manufacturing applications:

Asset Maintenance Optimization

ERP systems enable constant monitoring of equipment health conditions, predict developing failures, and schedule maintenance interventions automatically. They are powered by digital twins based on real asset condition instead of blind fixed schedule periods. The use of digital twins in predictive maintenance is a breakthrough that is putting an end to the older methods that involve set dates of servicing or inactive maintenance programs. Extensive research spanning construction and manufacturing sectors demonstrates that digital twin applications substantially enhance maintenance activities by providing granular visibility into asset conditions

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

while enabling genuinely data-driven decision processes. Connecting physical assets with corresponding virtual representations enables sophisticated condition monitoring, capturing both standard operating patterns and subtle anomalies (Gong, H. *et al*., 2025).

These forward-looking qualities are particularly helpful to complex manufacturing equipment with many failures possible and complex systems interacting with one another. Digital twins monitor minute alterations to equipment behavior that signal incipient problems by constantly comparing real-time data on the operation of the equipment with physics-based or data-driven degradation methods. Early detection enables proactive maintenance planning, minimizing production disruptions while optimizing resource allocation. Manufacturing facilities implementing digital twin-based maintenance strategies document marked improvements in overall maintenance effectiveness through enhanced failure prediction accuracy and streamlined maintenance preparation (Gong, H. *et al*., 2025).

Quality Control and Process Optimization

Real-time analysis of production parameters enables immediate detection of quality variations. Systems automatically adjust process settings or notify operators regarding necessary interventions before defects materialize. Digital twin implementations for quality management transform traditional quality control methodologies from reactive inspection to proactive process control. Research examining digital twin deployments across manufacturing environments demonstrates considerable improvements in process control through enhanced monitoring and optimization capabilities. These implementations enable continuous verification of process parameters against established quality requirements, supporting both reactive and proactive quality management strategies (Bilberg, A., & Malik, A. A. 2019).

Studies focusing specifically on quality-oriented digital twin implementations reveal substantial improvements in production processes coupled with significant reductions in quality-related expenses. The capability to detect process drift in real-time and implement immediate corrective actions virtually eliminates costly rework and scrap while ensuring consistent product quality. Advanced implementations incorporate sophisticated closed-loop control systems automatically adjusting process parameters to compensate for detected variations, maintaining optimal production conditions without requiring human intervention (Bilberg, A., & Malik, A. A. 2019).

Inventory and Supply Chain Synchronization

The computerized models of production lines in the form of digital twins offer accurate predictions about the usage of components and their possible breaks, allowing for the management of the inventory just-in-time and actively orchestrating the work of suppliers. Connectivity between inventory management systems and digital twins introduces new insight into material requirements and patterns of consumption. Through accurate modeling of production processes and associated material consumption characteristics, organizations optimize inventory levels, reducing carrying costs while maintaining production continuity (Gong, H. *et al*., 2025).

Digital twin predictive capabilities extend beyond internal operations to encompass supplier relationships and logistics planning. By simulating various production scenarios based on demand forecasts and equipment conditions, organizations provide suppliers with timely, accurate information regarding future requirements. This enhanced coordination substantially reduces both excess inventory and material shortages, creating resilient, efficient supply networks (Gong, H. *et al*., 2025).

Demand-driven Production Scheduling

Combining market demand data from CRM systems with production capacity insights from digital twins enables truly adaptive production scheduling, balancing efficiency with customer requirements. Traditional production scheduling approaches struggle to reconcile market demand with operational constraints, frequently resulting in either excessive inventory or customer delivery delays. Digital twin-enabled scheduling addresses this challenge by creating accurate models of production capacity, accounting for equipment conditions, material availability, and process variabilities (Bilberg, A., & Malik, A. A. 2019).

Integration with customer relationship management systems allows real-time demand signals to flow directly into production planning processes, enabling dynamic adjustments to production schedules responding to changing customer requirements. Research examining digital twins in manufacturing contexts indicates their implementation significantly enhances production planning and control through providing accurate virtual representations of manufacturing

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

systems and processes. These capabilities support responsive, efficient production operations, adapting to changing market requirements while maintaining operational efficiency (Bilberg, A., & Malik, A. A. 2019).




Fig 4: Digital Twin Use Cases in Manufacturing (Gong, H. *et al*., 2025; Bilberg, A., & Malik, A. A. 2019)

SCALABILITY CONSIDERATIONS

The architecture addresses several critical factors for scaling digital twin implementations across large manufacturing enterprises:

Data Volume Management

Edge preprocessing reduces data transmission requirements, tiered storage strategies balance accessibility with cost-efficiency, and selective cloud synchronization prioritizes business-critical information. The exponential growth in sensor deployment across manufacturing environments creates substantial data management challenges for digital twin implementations. Research examining digital twin-driven smart manufacturing emphasizes that effective data management requires comprehensive approaches spanning collection, transmission, storage, processing, and analysis phases. The reference model for digital twin-driven smart manufacturing specifically highlights the importance of optimized data flows between physical space and virtual space, with appropriate consideration of data volume, velocity, and variety characteristics (Lu, Y. *et al*., 2020).

Beyond transmission considerations, comprehensive data management strategies must address complete data lifecycles from acquisition through archival. Tiered storage approaches, distributing data across different storage technologies based on access frequency and business value, prove particularly effective for digital twin implementations. Research indicates digital twin deployments require careful consideration of both functional and non-functional data requirements, including performance, security, and cost considerations. Implementing appropriate data management strategies represents a critical success factor for scalable digital twin deployments across manufacturing enterprises (Lu, Y. *et al*., 2020).

Cross-facility Standardization

Reference architecture templates enable consistent deployment, standardized asset modeling frameworks ensure compatibility, and centralized master data management with distributed operational data balances global consistency with local responsiveness. The challenge of scaling digital twin implementations across multiple manufacturing facilities becomes compounded by inherent heterogeneity across industrial environments, with varying equipment types, vintages, and control systems. Research examining service-based digital twins emphasizes the importance of standardized architectural approaches accommodating diverse manufacturing environments while maintaining implementation consistency (Catarci, T. *et al*., 2019).

Reference architecture templates provide essential foundations for standardization, defining consistent approaches to system integration, data management, and user interaction. Standardized asset modeling frameworks ensure digital representations maintain semantic consistency

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

across facilities, enabling enterprise-wide analytics and process optimization. Service-based digital twin architectures offer particular advantages for cross-facility implementations by encapsulating functionality within well-defined services consistently deployed across different manufacturing environments. This approach supports standardization necessary for efficient scaling while maintaining flexibility, accommodating site-specific requirements (Catarci, T. *et al*., 2019).

Integration Complexity

API-based integration patterns, event-driven architecture for loose coupling between systems, and configurable mapping tools for adapting to varying ERP implementations address significant integration challenges inherent in digital twin deployments. The heterogeneous nature of manufacturing IT landscapes, typically including systems from multiple vendors with varying technological foundations, creates substantial integration complexity. Research examining digital twin-driven smart manufacturing identifies seamless integration across physical and virtual spaces as a fundamental requirement, with specific emphasis on integration between operational technology and information technology systems (Lu, Y. *et al*., 2020).

Event-driven architectures emerge as particularly effective patterns for digital twin implementations, creating loose coupling between systems, reducing dependency management challenges, while improving system resilience. Service-based digital twin architectures specifically leverage modern integration approaches, creating modular, maintainable implementations evolving. The service-oriented perspective treats digital twins as collections of services orchestrated to support specific manufacturing use cases, with each service providing well-defined functionality through standardized interfaces. This approach significantly reduces integration complexity by establishing clear boundaries between system components while defining consistent interaction patterns (Catarci, T. *et al*., 2019).

CONCLUSION

The architecture discussed in this article shows the revolutionary power of blending edge AI, IoT, and cloud ERP to build manufacturing operations that are deployed as smart, flexible systems. This framework enables industrial enterprises to use a repeatable mechanism of smart factory implementation using a combination of technologies that tackle the core issues of scalability, latency, and cross-system synchronization. A combination of physical and digital assets gives never-experienced visibility of operations and the possibility to react to its new state proactively, changing conventional reactive processes into strategic benefits. Digital transformation: As more manufacturing organizations begin to deploy the new architecture, it provides a technically sound basis upon which to realize the central promise of Industry 4.0 manufacturing systems that continuously optimize themselves in real-time via the analytics of data and automation of decision-making. The integrated architecture between operational and information technology systems symbolizes a very important landmark in the history of manufacturing intelligence, setting the stage for future developments, which in turn will lead to further improvement in productivity, quality, and responsiveness in the different industrial sectors.

REFERENCES

1. MarketsandMarkets, "Digital Twin Market Size, Share, and Trends." (2023). https://www.marketsandmarkets.com/Market-Reports/digital-twin-market-225269522.html
2. Protner, J., Pipan, M., Zupan, H., Resman, M., Simic, M., & Herakovic, N. "Edge computing and digital twin based smart manufacturing." *IFAC-PapersOnLine* 54.1 (2021): 831-836.
3. Tao, F., Zhang, H., Liu, A., & Nee, A. Y. "Digital twin in industry: State-of-the-art." *IEEE Transactions on industrial informatics* 15.4 (2018): 2405-2415.
4. Qi, Q., Tao, F., Hu, T., Anwer, N., Liu, A., Wei, Y., ... & Nee, A. Y. "Enabling technologies and tools for digital twin." *Journal of Manufacturing Systems* 58 (2021): 3-21.
5. Sudhakar, M., & Anne, K. R. "Optimizing data processing for edge-enabled IoT devices using deep learning based heterogeneous data clustering approach." *Measurement: sensors* 31 (2024): 101013.
6. Schleich, B., Anwer, N., Mathieu, L., & Wartzack, S. "Shaping the digital twin for design and production engineering." *CIRP annals* 66.1 (2017): 141-144.
7. Ruohomäki, T., Airaksinen, E., Huuska, P., Kesäniemi, O., Martikka, M., & Suomisto, J. "Smart city platform enabling digital twin." *2018 International Conference on Intelligent Systems (IS)*. IEEE, (2018).
8. Tao, F., Sui, F., Liu, A., Qi, Q., Zhang, M., Song, B., ... & Nee, A. Y. "Digital twin-driven

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

product design framework." *International Journal of Production Research* 57.12 (2019): 3935-3953.
9. Gong, H., Su, D., Zeng, S., & Chen, X. "Parallel simulation and prediction techniques for digital twins in urban underground spaces." *Automation in Construction* 175 (2025): 106212.
10. Bilberg, A., & Malik, A. A. "Digital twin driven human–robot collaborative assembly." *CIRP annals* 68.1 (2019): 499-502.
11. Lu, Y., Liu, C., Kevin, I., Wang, K., Huang, H., & Xu, X. "Digital Twin-driven smart manufacturing: Connotation, reference model, applications and research issues." *Robotics and computer-integrated manufacturing* 61 (2020): 101837.
12. Catarci, T., Firmani, D., Leotta, F., Mandreoli, F., Mecella, M., & Sapio, F. "A conceptual architecture and model for smart manufacturing relying on service-based digital twins." *2019 IEEE international conference on web services (ICWS)*. IEEE, (2019)

Source of support: Nil; **Conflict of interest:** Nil.

Cite this article as:
Manwatkar, V. "Smart Manufacturing with Digital Twins: Scalable Integration Using Edge AI and Cloud ERP" *Sarcouncil Journal of Multidisciplinary* 5.8 (2025): pp 244-252.

Copyright © 2021 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher